

## MBT-WL129: facade advertising system with banner lift

</en/advertising-systems/mbt-wl129/>



## Quality mounting for facade advertising

Our MBT-WL129 is a high performance advertising system to display large scale outdoor, and indoor advertisements on facades or walls.

One of the highlights of the system is the simplicity and velocity of the advertisement exchange: The banner advertisement is lifted, tensed and stabilized within the system by covered lifting mechanisms, driven by a self-braking crank and a removable lever.

Each unit is fully customized according to your individual requirements and needs.

We drafted and designed the system and all of its components, and we produce and pre-assemble your MBT-WL129 in our workshop.

## Important advantages at the first glance

**till 80%**

cheaper banner exchange (\*)

**100%**

front and back illuminable (\*\*)

**100%**

quality materials

**till 60%**

quicker banner exchange

**100%**

weather proof (\*\*\*)

**100%**

elegant design

(\*) in case that crank and edge of the system must be accessible without operating platform or similar tools.

(\*\*) with corresponding banner and optional lighting system

(\*\*\*) In case of storm warning, the banner must be removed to avoid damage.

## Data sheet

### Materials

- Guide profiles (aluminum)
- Transverse rails (aluminum)
- Wall mount angle (aluminum)
- Banner-carriages (stainl. steel)
- Stick-in carriages (stainl. steel)
- High performance winch
- Mounting material (stainl. steel)
- Stainless steel cable 3,00 mm

### Dimensions

- Guide rails 120 x 90 mm
- Transverse rails 120 x 25 mm

### Optionally available

- RAL color powder coating
- Winch security system
- Profile extensions
- Center-stabilizer (>5 m width)

# MBT-WL129: facade advertising system with banner lift

[/en/advertising-systems/mbt-wl129/](#)



## Properties

### Large scale advertising

The MBT-W129 is designed and built to display large scale facade and wall advertisements with banners.

It provides a plenty of advantages and characteristics which will be explained further on.

- Sizes tailored according to your wishes



### Covered lifting technology

The MBT-WL129 provides a unique lifting system. Its technology is almost entirely located in the interior of the guiding aluminum profiles.

This allows you to display your advertisement in a perfect manner.

- Interior located steel cable lifting system
- Winch system with automatic brake
- Few visible mechanical elements
- Removable lever

# MBT-WL129: facade advertising system with banner lift

[/en/advertising-systems/mbt-wl129/](#)

## Properties


### Easy access from the ground

To grant easy and fast exchange of your advertisements located in higher display positions, we offer optional guiding profile extensions.

These extensions serve as a prolongation mounted right below the vertical guiding profiles and create a solid unit.

Like this, you can change the banner from a convenient height without any additional tools or operating platforms.

- Difficult location ads with ground access
- Visually appealing solution
- Winch accessibility with optional extensions



### Wrinkle-free banners

One of the most important characteristics of the MBT-WL129 is the wrinkle-free banner display, almost without any surface distortion.

The inside located sliding carriages create the horizontal banner tension with the help of t-bar toggle loops.

The vertical banner tension is created by the lifting system itself.


- Wrinkle-free banner advertisements
- Horizontal and vertical tensioned banner

## Properties

### Front- and back illuminable

Due to its design and construction characteristics, you can optionally light the MBT-WL129 from the front with spotlights, or from the back with LEDs.

- Can be lit from the front and back
- Front light with frontlit banners
- Back light with backlit banners



### Torsion stable oversizes

System with more than 5.000 mm width receive a middle roll stabilizing mechanism which guarantees the easy lifting and exchange of heavy banner advertisements.

It also takes care to maintain the profiles proof against high torsion forces.

- Torsion stable oversizes
- Stabilizing mechanism > 5,000 mm
- Easy banner lifting despite the scale

## Properties

### Visually closed frame

As soon as the banner is set in its final position within the MBT-WL129, the aluminum profiles build a visually closed and appealing frame.

- Visually closed and appealing frame
- Hidden grommets and poles



### RAL®-color scheme available

We can manufacture your MBT-WL129 in RAL®-color powder coating. This allows you to customize the color according to the facade, or create stylish contrasts depending on the desired effect and personal preference.

- Optional RAL-color powder coating
- Inconspicuousness or stylish contrast

## Installed systems gallery

